



# Composition:

Each capsule contains Calcium dobesilate monohydrate 500 mg.

# Description:

Calcium dobesilate is a vasoprotective agent. It is used in the treatment of chronic venous insufficiency, hemorrhoids, and diabetic retinopathy.

## Clinical Pharmacology:

This medicine protects the capillaries by reducing their fragility. This helps in reducing the symptoms of chronic venous insufficiency. It also reduces symptoms of diabetic retinopathy by inhibiting the formation of sorbitol and improving blood circulation in the eyes.

#### Pharmacokinetics:

The onset of action and the time required for this medicine to show its action is not clinically established. The duration of effect until which this medicine remains active in the body is not clinically established. Interaction with alcohol is unknown. It is advisable to consult your doctor before consumption. No habit-forming tendency has been reported.

#### Indications and Usage:

## Diabetic retinopathy

This medicine is used in the treatment of Diabetic retinopathy, a complication of diabetes that may cause mild vision problems.

# Hemorrhoids

This medicine is used in the treatment of Hemorrhoids (swollen veins in the rectum and anus which may cause discomfort and bleeding).

# Chronic venous insufficiency

This medicine is used in the treatment of Chronic venous insufficiency, a condition where the valves in the leg veins are not working effectively, causing blood to collect in these veins.

#### Microcirculation disorders

This medicine is used in the treatment of Microcirculation disorders, conditions characterized by the ineffective functioning of capillaries. arterioles, venules, etc.

#### Warnings and Precautions:

# Allergy

This medicine is not recommended for use in patients with a known allergy to calcium dobesilate.

This medicine is not recommended for use in patients under the age of 18 years.

# Pregnancy

This medicine is not recommended for use in pregnant women unless absolutely necessary. All the risks and benefits should be discussed with the doctor before taking this medicine.

# Breast-feeding

This medicine is not recommended for use in breastfeeding women.

#### General warnings:

# Renal impairment

Calcium Dobesilate should be used with caution in patients with a history of kidney disease and active kidney disease due to the increased risk of severe adverse effects. Report any unusual symptoms to the doctor immediately. Appropriate dose adjustments or replacement with a suitable alternative may be required based on the clinical condition.

## Blood cell count

This medicine may lower the white blood cell count. Close monitoring of blood cell counts is necessary during treatment with this medicine. Do not start the treatment if the white blood cell count is low. Appropriate dose adjustments or replacement with a suitable alternative may be required based on the clinical condition

#### SIDE EFFECTS:

Major & minor side effects for Calcium dobesilate include nausea and vomiting, diarrhea, skin rash, fever, headache, vertigo, chills and irregular heartheat.

# DOSAGE:

Generally 500 to 1000 mg – 1 capsule once or twice a day to be taken with the main meals. Treatment duration, which is generally between a few weeks and several months, depends on the disease and its evolution. Dosage should be adapted individually according to the severity of the case.

If a dose of Calcium Dobesilate is missed, take the dose as soon as you remember it. If it is almost time for the next dose, skip the missed dose and take the next dose. Do not double the dose to make up for the missed one. Seek emergency medical treatment or contact the doctor in case of an overdose

# INTERACTIONS:

All drugs interact differently for person to person. You should check all the possible interactions with your doctor before starting any medicine.

 $Interaction\ with\ alcohol\ is\ unknown.\ It\ is\ advisable\ to\ consult\ your\ doctor\ before\ consumption.$ 

 $Interaction\ with\ alcohol\ is\ unknown.\ It\ is\ advisable\ to\ consult\ your\ doctor\ before\ consumption.$ 

Information with Food interactions is not available.

This medicine may interfere with creatinine assay results, giving incorrect values. It is advised that you inform the doctor about treatment with this medicine before undergoing a creatinine assay.

This is not an exhaustive list of possible drug interactions. You should consult your doctor about all the possible interactions of the drugs you're taking.

#### USE IN SPECIFIC POPULATION:

Pregnancy: This medicine is not recommended for use in pregnant women unless absolutely necessary. All the risks and benefits should be discussed with the doctor before taking this medicine.

Breast-feeding: This medicine is not recommended for use in breastfeeding women.

Renal impairment: Calcium Dobesilate should be used with caution in patients with a history of kidney disease and active kidney disease due to the increased risk of severe adverse effects. Report any unusual symptoms to the doctor immediately. Appropriate dose adjustments or replacement with a suitable alternative may be required based on the clinical condition.

# Other Instructions:

Take Calcium Dobesilate exactly as instructed by the doctor. Do not take in larger amounts than prescribed. Seek emergency medical treatment in case of any severe side effects. Ensure that the treatment course is completed. Do not stop the use of this medicine without consulting your doctor. To be taken with food. To be taken as instructed by doctor. Does not cause sleepiness.

#### Storage:

Store in a cool, dry, dark place between 15-30°C. Keep all medications out of reach of children. To be used on the prescription of Registered Medical Practitioners only.

# Presentations:

Scopic 500 mg capsules are available in packing containing 30 capsules.

خوراک: ڈاکٹر کی مدایت کےمطابق۔

احتیاط: روتنی ، نمی اور گری سے بچائیں۔ 15 سے 30 ڈگری سینٹی گریڈ کے درمیان محفوظ کریں۔ تمام ادویات بچوں کی بیٹنے سے دور کھیں۔متند ڈاکٹر کے نیز برفرو فٹ اور استعمال کریں۔

Complete Medical Information available only for doctors on request.



Manufactured by: **SCOTMANN PHARMACEUTICALS**5-D, I-10/3 Industrial Area, Islamabad-Pakistan.

www.scotmann.com